



Edelstahl-Flachprofile

warmgefertigt

DIN EN 10 058 (DIN 1017)

Bezeichnung	Breite (mm)	Dicke (kg/m ²)	Gewicht (kg/m)
10 x 3	10	3	0,237
10 x 4	10	4	0,314
10 x 5	10	5	0,393
10 x 6	10	6	0,471
15 x 3	15	3	0,353
15 x 4	15	4	0,471
15 x 5	15	5	0,589
15 x 6	15	6	0,707
15 x 8	15	8	0,942
15 x 10	15	10	1,180
20 x 3	20	3	0,471
20 x 4	20	4	0,628
20 x 5	20	5	0,785
20 x 6	20	6	1,180
20 x 8	20	8	1,260
20 x 10	20	10	1,570
20 x 12	20	12	1,880



Edelstahl-Flachprofil warmgewalzt
bzw. aus Blech oder Band gefertigt
nach DIN EN 10058. Herstelllängen
von 4000 – 6000 mm.

Nichtrostende Werkstoffe:

Wst.-Nr. 1.4057
Wst.-Nr. 1.4301
Wst.-Nr. 1.4307
Wst.-Nr. 1.4401
Wst.-Nr. 1.4404
Wst.-Nr. 1.4541
Wst.-Nr. 1.4571



Edelstahl-Flachprofile

warmgefertigt

DIN EN 10 058 (DIN 1017)

Bezeichnung	Breite (mm)	Dicke (kg/m ²)	Gewicht (kg/m)
20 x 15	20	15	2,360
25 x 3	25	3	0,590
25 x 4	25	4	0,785
25 x 5	25	5	0,981
25 x 6	25	6	1,180
25 x 8	25	8	1,570
25 x 10	25	10	1,960
25 x 12	25	12	2,360
25 x 15	25	15	2,940
25 x 20	25	20	3,930
30 x 3	30	3	0,700
30 x 4	30	4	0,942
30 x 5	30	5	1,180
30 x 6	30	6	1,410
30 x 8	30	8	1,880
30 x 10	30	10	2,360
30 x 12	30	12	2,830

Hitzebeständige Werkstoffe:

Wst.-Nr. 1.4713

Wst.-Nr. 1.4828

Wst.-Nr. 1.4841

Wst.-Nr. 1.4878



Edelstahl-Flachprofile

warmgefertigt

DIN EN 10 058 (DIN 1017)

Bezeichnung	Breite (mm)	Dicke (kg/m ²)	Gewicht (kg/m)
30 x 15	30	15	3,530
30 x 20	30	20	4,710
30 x 25	30	25	5,890
35 x 3	35	3	0,825
35 x 4	35	4	1,110
35 x 5	35	5	1,370
35 x 6	35	6	1,650
35 x 8	35	8	2,200
35 x 10	35	10	2,750
35 x 12	35	12	3,300
35 x 15	35	15	4,120
35 x 20	35	20	5,500
40 x 3	40	3	0,942
40 x 4	40	4	1,260
40 x 5	40	5	1,570
40 x 6	40	6	1,880
40 x 8	40	8	2,510



Edelstahl-Flachprofile

warmgefertigt

DIN EN 10 058 (DIN 1017)

Bezeichnung	Durchmesser (mm)	Stärke (mm)	Gewicht (kg/m)
40 x 10	40	10	3,140
40 x 12	40	12	3,770
40 x 15	40	15	4,710
40 x 20	40	20	6,280
40 x 25	40	25	7,850
40 x 30	40	30	9,420
45 x 3	45	3	1,060
45 x 4	45	4	1,410
45 x 5	45	5	1,770
45 x 6	45	6	2,120
45 x 8	45	8	2,830
45 x 10	45	10	3,530
45 x 12	45	12	4,240
45 x 15	45	15	5,300
45 x 20	45	20	7,070
45 x 25	45	25	8,830
50 x 3	50	3	1,180



Edelstahl-Flachprofile

warmgefertigt

DIN EN 10 058 (DIN 1017)

Bezeichnung	Durchmesser (mm)	Stärke (mm)	Gewicht (kg/m)
50 x 4	50	4	1,570
50 x 5	50	5	1,960
50 x 6	50	6	2,360
50 x 8	50	8	3,140
50 x 10	50	10	3,930
50 x 12	50	12	4,710
50 x 15	50	15	5,890
50 x 20	50	20	7,850
50 x 25	50	25	9,810
50 x 30	50	30	11,780
50 x 35	50	35	13,740
50 x 40	50	40	15,700
60 x 4	60	4	1,880
60 x 5	60	5	2,360
60 x 6	60	6	2,830
60 x 8	60	8	3,770
60 x 10	60	10	4,710



Edelstahl-Flachprofile

warmgefertigt

DIN EN 10 058 (DIN 1017)

Bezeichnung	Durchmesser (mm)	Stärke (mm)	Gewicht (kg/m)
60 x 12	60	12	5,650
60 x 15	60	15	7,070
60 x 20	60	20	9,420
60 x 25	60	25	11,780
60 x 30	60	30	14,130
60 x 35	60	35	16,490
60 x 40	60	40	18,840
60 x 50	60	50	23,560
70 x 4	70	4	2,200
70 x 5	70	5	2,750
70 x 6	70	6	3,300
70 x 8	70	8	4,400
70 x 10	70	10	5,500
70 x 12	70	12	6,600
70 x 15	70	15	8,240
70 x 20	70	20	10,990
70 x 25	70	25	13,740



Edelstahl-Flachprofile

warmgefertigt

DIN EN 10 058 (DIN 1017)

Bezeichnung	Durchmesser (mm)	Stärke (mm)	Gewicht (kg/m)
70 x 30	70	30	16,490
70 x 35	70	35	19,230
70 x 40	70	40	21,980
70 x 45	70	45	24,730
70 x 50	70	50	27,780
80 x 5	80	5	3,140
80 x 6	80	6	3,770
80 x 8	80	8	5,020
80 x 10	80	10	6,280
80 x 12	80	12	7,540
80 x 15	80	15	9,420
80 x 20	80	20	12,560
80 x 25	80	25	15,700
80 x 30	80	30	18,840
80 x 35	80	35	21,980
80 x 40	80	40	25,120
80 x 50	80	50	31,400



Edelstahl-Flachprofile

warmgefertigt

DIN EN 10 058 (DIN 1017)

Bezeichnung	Durchmesser (mm)	Stärke (mm)	Gewicht (kg/m)
80 x 60	80	60	37,680
100 x 4	100	4	3,120
100 x 5	100	5	3,930
100 x 6	100	6	4,710
100 x 8	100	8	6,280
100 x 10	100	10	7,850
100 x 12	100	12	9,420
100 x 15	100	15	11,770
100 x 20	100	20	15,700
100 x 25	100	25	19,630
100 x 30	100	30	23,550
100 x 35	100	35	27,480
100 x 40	100	40	31,400
100 x 50	100	50	39,260
100 x 60	100	60	47,100
120 x 5	120	5	4,710
120 x 6	120	6	5,650



Edelstahl-Flachprofile

warmgefertigt

DIN EN 10 058 (DIN 1017)

Bezeichnung	Durchmesser (mm)	Stärke (mm)	Gewicht (kg/m)
120 x 8	120	8	7,540
120 x 10	120	10	9,420
120 x 12	120	12	11,300
120 x 15	120	15	14,130
120 x 20	120	20	18,840
120 x 25	120	25	23,550
120 x 30	120	30	28,260
120 x 40	120	40	37,680
120 x 50	120	50	47,120
120 x 60	120	60	56,520
130 x 10	130	10	10,210
140 x 10	140	10	10,990
150 x 6	150	6	7,070
150 x 8	150	8	9,420
150 x 10	150	10	11,770
150 x 12	150	12	14,130
150 x 15	150	15	17,660



Edelstahl-Flachprofile

warmgefertigt

DIN EN 10 058 (DIN 1017)

Bezeichnung	Durchmesser (mm)	Stärke (mm)	Gewicht (kg/m)
150 x 20	150	20	23,550
150 x 25	150	25	29,440
150 x 30	150	30	35,330
150 x 40	150	40	47,100
150 x 50	150	50	58,880
160 x 10	160	10	12,800
160 x 15	160	15	19,200
160 x 20	160	20	25,600
180 x 10	180	10	14,400
180 x 12	180	12	17,300
180 x 15	180	15	21,600
180 x 20	180	20	28,800
200 x 10	200	10	16,000
200 x 15	200	15	24,000
200 x 20	200	20	32,000