

Leichtbau U-Stahl

DIN EN 10162

Bezeichnung	Höhe (mm)	Breite (mm)	Dicke (mm)	Gewicht (kg/m)
25 x 25 x 3	25	25	3	1,60
30 x 30 x 2	30	30	2	1,36
30 x 30 x 3	30	30	3	1,90
36 x 36 x 3	36	36	3	2,37
20 x 40 x 3	20	40	3	1,72
25 x 40 x 3	25	40	3	1,96
30 x 40 x 2	30	40	2	1,52
30 x 40 x 3	30	40	3	2,20
35 x 40 x 4	35	40	4	3,02
40 x 40 x 2	40	40	2	1,84
40 x 40 x 3	40	40	3	2,47
40 x 40 x 4	40	40	4	3,55
45 x 46 x 3	45	46	3	2,95
25 x 50 x 3	25	50	3	2,12
30 x 50 x 2	30	50	2	1,58
30 x 50 x 3	30	50	3	2,35
40 x 50 x 3	40	50	3	2,92






Leichtbau U-Stahl

DIN EN 10162

Bezeichnung	Höhe (mm)	Breite (mm)	Dicke (mm)	Gewicht (kg/m)
40 x 50 x 4	40	50	4	3,67
50 x 50 x 3	50	50	3	3,40
50 x 50 x 4	50	50	4	4,38
45 x 54 x 4	45	54	4	4,11
30 x 60 x 3	30	60	3	2,59
40 x 60 x 3	40	60	3	3,10
40 x 60 x 4	40	60	4	3,96
60 x 60 x 4	60	60	4	5,41
45 x 62 x 4	45	62	4	4,53
40 x 65 x 5	40	65	5	5,05
50 x 65 x 5	50	65	5	5,83
40 x 70 x 3	40	70	3	3,30
40 x 70 x 4	40	70	4	4,45
50 x 70 x 4	50	70	4	4,93
50 x 70 x 5	50	70	5	6,20
40 x 80 x 3	40	80	3	3,54
40 x 80 x 4	40	80	4	4,72



Leichtbau U-Stahl

DIN EN 10162

Bezeichnung	Höhe (mm)	Breite (mm)	Dicke (mm)	Gewicht (kg/m)
45 x 80 x 5	45	80	5	6,01
50 x 80 x 3	50	80	3	4,00
50 x 80 x 4	50	80	4	5,32
50 x 80 x 5	50	80	5	6,42
50 x 80 x 6	50	80	6	7,55
60 x 80 x 4	60	80	4	5,84
60 x 80 x 6	60	80	6	8,74
70 x 80 x 5	70	80	5	7,99
50 x 90 x 5	50	90	5	6,81
40 x 100 x 4	40	100	4	5,41
50 x 100 x 3	50	100	3	4,43
50 x 100 x 4	50	100	4	5,87
50 x 100 x 5	50	100	5	7,22
50 x 100 x 6	50	100	6	8,50
60 x 100 x 4	60	100	4	6,69
60 x 100 x 5	60	100	5	8,24
70 x 100 x 6	70	100	6	10,30



Leichtbau U-Stahl

DIN EN 10162

Bezeichnung	Höhe (mm)	Breite (mm)	Dicke (mm)	Gewicht (kg/m)
55 x 108 x 5	55	108	5	7,81
50 x 110 x 4	50	110	4	6,28
50 x 120 x 3	50	120	3	5,08
50 x 120 x 4	50	120	4	6,51
50 x 120 x 5	50	120	5	8,24
55 x 120 x 6	55	120	6	9,98
60 x 120 x 4	60	120	4	7,14
60 x 120 x 5	60	120	5	9,04
60 x 120 x 6	60	120	6	10,40
50 x 140 x 4	50	140	4	7,08
50 x 140 x 5	50	140	5	8,80
60 x 140 x 4	60	140	4	7,97
60 x 140 x 6	60	140	6	11,30
50 x 160 x 4	50	160	4	7,97
65 x 160 x 6	65	160	6	12,75
65 x 160 x 7	65	160	7	14,40
70 x 160 x 4	70	160	4	9,10



Leichtbau U-Stahl

DIN EN 10162

Bezeichnung	äußerer Durchmesser (mm)	Wanddicke (mm)	innen Durchmesser (mm)	Gewicht (kg/m)
60 x 180 x 4	60	180	4	9,25
70 x 180 x 6	70	180	6	14,13
60 x 200 x 4	60	200	4	9,55
80 x 200 x 4	80	200	4	10,92
80 x 200 x 6	80	200	6	16,00